### § 52.2088

The EPA is approving the calculation of the required emission reductions, and the emission reduction credit claimed from surface coating operations, printing operations, plant closures, cutback asphalt, synthetic pharmaceutical manufacturing, automobile refinishing, consumer and commercial products, architectural and industrial maintenance coatings, stage II vapor recovery, reformulated gasoline in onroad and off-road engines, tier I motor vehicle controls, and low emitting vehicles. EPA is taking no action at this time on the emission reduction credit claim made for the Rhode Island automobile inspection and maintenance program.

- (i) Incorporation by reference.
- (A) Letter from the Rhode Island Department of Environmental Management dated September 21, 1998 submitting a revision to the Rhode Island State Implementation Plan.
  - (51)–(53) [Reserved]
- (54) Revisions to the State Implementation Plan submitted by the Rhode Island Department of Environmental Management on.
  - (i) Incorporation by reference.
- (A) Letter from the Rhode Island Department of Environmental Management dated 9 August 1996 submitting a revision to the Rhode Island State Implementation Plan.
- (B) Changes to Air Pollution Control Regulation Number 9.

For the State of Rhode Island.

- (55) Revisions to the State Implementation Plan submitted by the Rhode Island Department of Environmental Management on February 13, 1998 and January 20, 1999 which define alternative NO $_{\rm X}$  RACT requirements and impose seasonal limitations on the emissions of nitrogen oxides at certain major stationary sources in Rhode Island.
  - (i) Incorporation by reference.
- (A) Letters from the Rhode Island Department of Environmental Management, dated February 13, 1998 and January 20, 1999 submitting revisions to the Rhode Island State Implementation Plan.
- (B) Regulation number 38, "Nitrogen Oxides Allowance Program," as adopted on May 21, 1998, submitted on effective on June 10, 1998.

(C) An administrative consent agreement between Rhode Island Department of Environmental Management and Rhode Island Economic Development Corporation, file no. 96-04-AP, adopted and effective on September 2, 1997.

[37 FR 10891, May 31, 1972. Redesignated and amended at 64 FR 43085, Aug. 9, 1999]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §52.2087, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

#### § 52.2088 Control strategy: Ozone.

- (a) Revisions to the State Implementation Plan submitted by the Rhode Island Department of Environmental Management on September 21, 1998. These revisions are for the purpose of satisfying the rate of progress requirement of section 182(c)(2)(B), and the contingency measure requirements of section 182(c)(9) of the Clean Air Act, for the Providence serious ozone nonattainment area.
- (b) Approval—Revisions to the state implementation plan submitted by the Rhode Island Department of Environmental Management on March 24, 2003. The revisions are for the purpose of satisfying the one-hour ozone attainment demonstration requirements of section 182(c)(2)(A) of the Clean Air Act, for the Rhode Island serious ozone nonattainment area. The revision establishes a one-hour attainment date of November 15, 2007 for the Rhode Island serious ozone nonattainment area, and approves the contingency measures for purposes of attainment. This revision establishes motor vehicle emissions budgets for 2007 of 30.68 tons per day of volatile organic compounds and 33.97 tons per day of nitrogen oxides to be used in transportation conformity in the Rhode Island serious ozone nonattainment area. Rhode Island also commits to conduct a mid-course review to assess modeling and monitoring progress achieved towards the goal of attainment by 2007, and to submit the results to EPA by December 31,

[66 FR 30815, June 8, 2001, as amended at 68 FR 16724, Apr. 7, 2003]

### **Environmental Protection Agency**

EFFECTIVE DATE NOTE: At 75 FR 31290, June 3, 2010, §52.2088 was amended by adding paragraph (c), effective July 6, 2010. For the convenience of the user, the added and revised text is set forth as follows:

#### § 52.2088 Control strategy: Ozone.

\* \* \* \* \*

(c) Determination of Attainment. Effective July 6, 2010, EPA is determining that the Providence (All of Rhode Island) 8-hour ozone nonattainment area has attained the 1997 8-hour ozone standard. Under the provisions of EPA's ozone implementation rule (see 40 CFR 51.918), this determination suspends the reasonable further progress and attainment demonstration requirements of section 182(b)(1) and related requirements of section 172(c)(9) of the Clean Air Act for as long as the area does not monitor any violations of the 1997 8-hour ozone standard. If a violation of the 1997 ozone NAAQS is monitored in the Providence (All of Rhode Island) 8-hour ozone nonattainment area, this determination shall no longer apply.

# § 52.2089 Control strategy: carbon monoxide.

(a) Approval—On September 22, 2008, the Rhode Island Department of Environmental Management submitted a request to establish a limited maintenance plan for the Providence Rhode Island carbon monoxide attainment area for the remainder of the second ten-year maintenance plan. The State of Rhode Island has committed to year round carbon monoxide monitoring at the East Providence Photochemical Assessment Monitoring Station (PAMS) site; re-establishing downtown Providence CO monitoring if criteria specified in the Limited Maintenance Plan are triggered; and, ensuring that project-level carbon monoxide evaluations of transportation projects in the maintenance area are conducted. The limited maintenance plan satisfies all applicable requirements of section 175A of the Clean Air Act. Approval of a limited maintenance plan is conditioned on maintaining levels of ambient carbon monoxide levels below the required limited maintenance plan 8-hour carbon monoxide design value criterion of 7.65 parts per million. If the Limited Maintenance Plan criterion is no longer satisfied, Rhode Island must develop a full maintenance plan to meet Clean Air Act requirements.

(b) [Reserved]

[74 FR 12559, Mar. 25, 2009]

## Subpart PP—South Carolina

# § 52.2119 Identification of plan-conditional approval.

EPA is conditionally approving a revision to the South Carolina State Implementation Plan (SIP) consisting of a new Standard (South Carolina Regulation 61–62.5 Standard No. 7.1). Based upon a commitment from the State, South Carolina must:

- (a) Revise the Nonattainment New Source Review (NNSR) program to include a provision that emission reductions must be surplus and are not to be used as offsets if they are otherwise required by the SIP, New Source Performance Standards and National Emissions Standards for Hazardous Air Pollutants including the Maximum Achievable Control Technology standards, or other federal requirements and submit to EPA a SIP revision with the revised rule:
- (b) Revise the State NNSR program to include a methodology for calculating offsets, and submit to EPA a SIP revision with the revised rule; and
- (c) Utilize the provisions of 40 CFR part 51, Appendix S to supplement its NNSR program until South Carolina's NNSR program is approved by EPA. If the State fails to meet its commitment by June 2, 2009 the approval is treated as a disapproval. Also, EPA is disapproving two provisions of South Carolina's NNSR program (submitted on July 1, 2005) that relate to provisions that were vacated from the federal program by the United States Court of Appeals for the District of Columbia Circuit on June 24, 2005. The two provisions vacated from the federal rules pertain to Pollution Control Projects (PCPs) and clean units. The PCP and clean unit references are severable from the remainder of the NNSR program. Specifically, the following sections of South Carolina Regulation 61-62.5 Standard No. 7.1 are being disapproved: (b)(5): (b)(6)—Second sentence only; (b)(8); (c)(4); (c)(6)(C)(viii); (c)(8)(C)(iii);(c)(8)(E)(v);(c)(10): (d)(1)(C)(ix); (d)(1)(C)(x); (d)(3)—Only the reference to the term "clean unit" is being disapproved. The remainder of